

1. Identification of the substance/preparation and company

Trade name

Sonax Metallic High Gloss
Articlenumber 317100/317200-544

Usage

Car Care

Company

Sonax GmbH
Münchener Straße 75

D-86633 Neuburg/Donau

Tel. (0049) 8431/53-0 Fax. (0049) 8431/53390
E-Mail: ERP@sonax.de

Information provided by: Phone (00 49)84 31/53-2 17

Emergency telephone number: 0049 84 31 53-0 (Only during business hours)

2. Hazards identification

No particular hazards known.

3. Composition/information on ingredients

Chemical characterization

Specification
Emulsion of wax, abrasive, solvent, silicone and water.

Hazardous ingredients

CAS no.	EINECS no.	concentration	haz.sym.	R phrases
---------	------------	---------------	----------	-----------

Hazardous substance name

90622-57-4	292-459-0	5-10 % Xn		R66, R65, R53
hydrocarbons isoparaffinic, C9-C12				

4. First aid measures

First aid measures / general information
Remove contaminated clothing.

First aid measures / inhalation
No special measures required

First aid measures / skin contact
In case of contact with skin wash off with water.

First aid measures / eye contact
In case of contact with eyes rinse thoroughly with water

First aid measures / ingestion

Do not induce vomiting.
Refer for medical treatment.

5. Fire-fighting measures

Product itself is non-combustible; Fire extinguishing method of surrounding areas must be discussed.

Extinguishing media that must not be used for safety reasons
none

6. Accidental release measures

environmental precautions
Do not discharge into surface waters/groundwater.
Do not discharge into the subsoil/soil.

methods for cleaning up/taking up
Take up with absorbent material (e.g. general-purpose binder).

7. Handling and storage

Handling

Advice on safe handling
No special measures necessary if used correctly.

Advice on protection against fire and explosion
No special measures necessary

Storage

Requirements for storage rooms and vessels
Prevent penetration into the ground.

Advice on storage compatibility
Do not store together with food.

Further information on storage conditions
Protect from frost.
Recommended storage temperature: 20 °C.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored:

CAS no.	EINECS no.	limit value
---------	------------	-------------

Hazardous substance name

hydrocarbons isoparaffinic, C9-C12		
90622-57-4	292-459-0	Indicative occupation 600 mg/m ³ , Spb.-Üf.: 2(II), TRGS 900

Personal protective equipment
not necessary

Wash hands before breaks and after work.

9. Physical and chemical properties

Appearance

Form : Liquid

Colour : beige

Odour : characteristic

* Data relevant to safety

Boiling range 100-195 °C

Flash point: Not applicably!

Density at: 20°C 0,99-1,00 g/ml

Solubility in water:
at 20°C

PH value: 10 g/l H²O(20°) 7,5-8,5

Outflow time with 20°C 35-55 sec
Method : DIN EN ISO 2431/4mm

Further Information

10. Stability and reactivity

Hazardous reactions

No hazardous reactions known.

Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

No toxicological data are available.

12. Ecological information

Ecological data are not available

Do not discharge product unmonitored into the environment.

13. Advice on disposal

Disposal / product

In accordance with regulations for special waste, must be taken to an authorised special waste disposal site or incineration plant.

Code

20 01 13

Disposal / contaminated packaging

15 01 02

14. Transport information

Not classified as hazardous goods in accordance with GGVS/GGVE,
RID/ADR, ADNR, IMDG, IATA-DGR

15. Regulatory information

Labelling

The product does not require a hazard warning label in accordance
with EC directives/the relevant national laws.

Hazard symbols

R phrases

S phrases

S2

Keep out of the reach of children.

Water hazard class / source

(german only)

Other regulations, restrictions and prohibition regulations

16. Other information

List of R-Phrases/wording of the ingredients classified under point 3

R53 May cause long-term adverse effects in the aquatic environment

R65 Harmful: may cause lung damage if swallowed

R66 Repeated exposure may cause skin dryness or cracking

All data are based on our current knowledge and information.
They are intended to describe our products with regard to safety
requirements and thus do not purport to warrant any specific
qualities.