

1. Identification of the substance/preparation and company

Trade name

Sonax ProfiLine Glass polish
articlenumber 273141

Usage

Car Care

Company

Sonax GmbH
Münchener Straße 75

D-86633 Neuburg/Donau

Tel. (0049) 8431/53-0 Fax. (0049) 8431/53390
E-Mail: ERP@sonax.de

Information provided by: Phone (00 49)84 31/53-2 17

Emergency telephone number: 0049 84 31 53-0 (Only during business hours)

2. Hazards identification

No particular hazards known.

3. Composition/information on ingredients

Chemical characterization

Specification
Emulsion of benzine, abrasives and water.

* Hazardous ingredients

CAS no.	EINECS no.	concentration	haz.sym.	R phrases
---------	------------	---------------	----------	-----------

Hazardous substance name

64742-47-8	265-149-8	10-15 % Xn		R65, R66
------------	-----------	------------	--	----------

Distillates (petroleum), hydrotreated light

4. First aid measures**First aid measures / general information**
Change soaked clothing**First aid measures / inhalation**
Ensure supply of fresh air.**First aid measures / skin contact**
In case of contact with the skin, wash with soap and water and
rinse thoroughly.**First aid measures / eye contact**
In case of contact with eyes rinse thoroughly with water

First aid measures / ingestion

Do not induce vomiting.
Refer for medical treatment.

5. Fire-fighting measures

Product itself is non-combustible; Fire extinguishing method of surrounding areas must be discussed.

6. Accidental release measures**environmental precautions**

Do not discharge into surface waters/groundwater.
Do not discharge into the subsoil/soil.

methods for cleaning up/taking up

Take up with absorbent material (e.g. general-purpose binder).

7. Handling and storage**Handling**

Advice on safe handling
No special measures necessary if used correctly.

Advice on protection against fire and explosion
No special measures necessary

Storage

Requirements for storage rooms and vessels
Prevent penetration into the ground.

Advice on storage compatibility
Do not store together with food.

Further information on storage conditions
Protect from frost.
Recommended storage temperature: 20 °C.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored:

CAS no.	EINECS no.	limit value
---------	------------	-------------

Distillates (petroleum), hydrotreated light		
64742-47-8	265-149-8	Indicative occupation 600 mg/m ³ , Spb.-Üf.: 2(II), TRGS 900

Personal protective equipment
not necessary

Hygiene measures
Wash hands before breaks and after work.

*** 9. Physical and chemical properties****Appearance**

Form : Pasty

Colour : white

Odour : characteristic

Data relevant to safety

Boiling range 100-275 °C

Flash point: Not applicably!

Density at: 20°C 1,05-1,07 g/ml

Solubility in water:
at 20°C
partial miscible

pH value: concentrate (20°C) 8,0-9,0

Outflow time with 20°C > 60 sec
Method : DIN EN ISO 2431/6mm**Further Information****10. Stability and reactivity****Hazardous reactions**

No hazardous reactions known.

Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

No toxicological data are available.

12. Ecological informationEcological data are not available
Do not discharge product unmonitored into the environment.**13. Advice on disposal****Disposal / product**

In accordance with regulations for special waste, must be taken to an authorised special waste disposal site or incineration plant.

Code

15 01 02

Disposal / contaminated packaging

15 01 10

14. Transport information

Not classified as hazardous goods in accordance with GGVS/GGVE,
RID/ADR, ADNR, IMDG, IATA-DGR

15. Regulatory information

Labelling

The product does not require a hazard warning label in accordance
with EC directives/the relevant national laws.

Hazard symbols

None

R phrases

None

S phrases

S2

Keep out of the reach of children.

Water hazard class / source

(german only)

Other regulations, restrictions and prohibition regulations

16. Other information

List of R-Phrases/wording of the ingredients classified under point 3

R65 Harmful: may cause lung damage if swallowed

R66 Repeated exposure may cause skin dryness or cracking

All data are based on our current knowledge and information.

They are intended to describe our products with regard to safety
requirements and thus do not purport to warrant any specific
qualities.