

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** SONAX Xtreme Glass Clear "Nano-Pro"**Article number:** 238241**1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)**Application of the substance / the preparation** Car care product**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

2.2 Label elements**Labelling according to EU guidelines:**

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Although this product is not subject to identification regulations, we recommend that the safety suggestions are observed.

Safety phrases:

2 Keep out of the reach of children.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** aqueous tenside solution with additives**Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol F R11 Flam. Liq. 2, H225; Eye Irrit. 2, H319	15-25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-Methoxy-2-propanol R10-67 Flam. Liq. 3, H226; STOT SE 3, H336	5-10%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		
anionic surfactants		< 5%
perfumes		

Additional information: For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** No special measures required.**After inhalation:** No special measures required

Trade name: SONAX Xtreme Glass Clear "Nano-Pro"

(Contd. of page 1)

After skin contact: Generally the product does not irritate the skin.
After eye contact: Rinse opened eye for several minutes under running water.
After swallowing:
 Rinse out mouth and then drink plenty of water.
 If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

107-98-2 1-Methoxy-2-propanol

WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm
 Long-term value: 375 mg/m³, 100 ppm
 Sk

IOELV (EU) Short-term value: 568 mg/m³, 150 ppm
 Long-term value: 375 mg/m³, 100 ppm
 Skin

(Contd. on page 3)

Trade name: SONAX Xtreme Glass Clear "Nano-Pro"

(Contd. of page 2)

DNELs**64-17-5 ethanol**

Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (long-term exposure - systemic effects)
Inhalative	DNEL	950 mg/m ³ (consumer) (acute short-term exposure - local effects) 114 mg/m ³ (consumer) (long-term exposure - systemic effects) 1900 mg/m ³ (worker) (acute short-term exposure - local effects) 950 mg/m ³ (worker) (long-term exposure - systemic effects)

PNECs**64-17-5 ethanol**

PNEC	3.6 mg/kg (sediment (fresh water))
	2.9 mg/kg (sediment (sea water))
	0.63 mg/kg (soil)
	0.96 mg/l (water (fresh water))
	0.79 mg/l (water (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls**Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Personal protective equipment:**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required in normal cases

Protection of hands: Not required in normal cases

Eye protection: Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: 8.5 - 9.5

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 - 120 °C

Flash point: 38 °C

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure: Not determined.

(Contd. on page 4)

Trade name: SONAX Xtreme Glass Clear "Nano-Pro"

(Contd. of page 3)

Density at 20 °C:	0.97 - 0.98 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Flow time at 20 °C 10 - 12 s (DIN EN ISO 2431/4mm)

Dynamic: Not determined.

Kinematic: Not determined.

9.2 Other information

Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):
no self-sustained combustion

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture.

Acute toxicity:**LD/LC50 values relevant for classification:****64-17-5 ethanol**

Oral	LD50	5560 mg/kg (MS)
		3450 mg/kg (mouse)
		7060 mg/kg (rat)
		6300 mg/kg (rabbit)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4h	20000 mg/l (rat)

107-98-2 1-Methoxy-2-propanol

Oral	LD50	5200 mg/kg (rat)
Dermal	LD50	14000 mg/kg (rabbit)
Inhalative	LC50/4h	54.6 mg/l (rat)

Primary irritant effect:**on the skin:**

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

on the eye:

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Sensitization:

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Repeated dose toxicity

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

(Contd. on page 5)

Trade name: SONAX Xtreme Glass Clear "Nano-Pro"

(Contd. of page 4)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:**64-17-5 ethanol**

EC5 / 16h	6500 mg/l (Pseudomonas putida)
EC50 / 48h	9267 mg/l (Daphnia magna)
LC50 / 24h	>100 mg/l (Daphnia magna)
LC50 / 48h	8140 mg/l (Leuciscus idus)

107-98-2 1-Methoxy-2-propanol

EC 50 / 168h	>1000 mg/l (Selenastrum capricornutum)
EC50	>1000 mg/l (Bel)
EC50 / 48h	>23300 mg/l (Daphnia magna)
LC0	>4600 mg/l (Leuciscus idus melanotus)

12.2 Persistence and degradability**64-17-5 ethanol**

Biodegradation 74 % (-) (5d (OECD TG 301 D))

107-98-2 1-Methoxy-2-propanol

Biodegradation 90 % (-) (OECD 301 E)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Waste must be disposed of while observing the local, official regulations.

Smaller quantities can be disposed of with household waste.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30	detergents other than those mentioned in 20 01 29
----------	---

15 01 02	plastic packaging
----------	-------------------

SECTION 14: Transport information**14.1 UN-Number**

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

(Contd. on page 6)

Trade name: SONAX Xtreme Glass Clear "Nano-Pro"

(Contd. of page 5)

14.4 Packing group
ADR, IMDG, IATA

Void

14.5 Environmental hazards:
Marine pollutant:

No

14.6 Special precautions for user Not applicable.

Transport/Additional information: Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):
no self-sustained combustion

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

R10 Flammable.

R11 Highly flammable.

R67 Vapours may cause drowsiness and dizziness.

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentraion

log POW = Octanol / water partition coefficient

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IOELV = indicative occupational exposure limit values

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

DNEL: Derived No-Effect Level (REACH)

*** Data compared to the previous version altered.**