

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX Antifreeze & Clear View Concentrate
Article number:

332050, 332100, 332134, 332200, 332241, 332300, 332505, 332509, 332705.04, 332805.04, 332905.03, 332009-050

1.2 Relevant identified uses of the substance or mixture and uses advised against
Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC4 Anti-Freeze and de-icing products

Application of the substance / the preparation Car care product

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

 E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture
Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R10: Flammable.

2.2 Label elements
Labelling according to EU guidelines:
Risk phrases:

10 Flammable.

Safety phrases:

2 Keep out of the reach of children.

46 If swallowed, seek medical advice immediately and show this container or label.

Special labelling of certain preparations: S2+S46: only applies to end-user packages

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Description: Aqueous formulation of alcohol, glycol and tensides.

Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol  F R11  Flam. Liq. 2, H225;  Eye Irrit. 2, H319	50-75%
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-xxxx	ethanediol  Xn R22  STOT RE 2, H373;  Acute Tox. 4, H302	5-10%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		
anionic surfactants, non-ionic surfactants		< 5%
perfumes		

Additional information: For the wording of the listed risk phrases refer to section 16.

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 1)

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:** Remove soiled clothing**After inhalation:** Supply fresh air.**After skin contact:**

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

Water spray

Fire-extinguishing powder

Alcohol resistant foam

Carbon dioxide

For safety reasons unsuitable extinguishing agents: Water with full jet**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

5.3 Advice for firefighters**Protective equipment:**

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 2)

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.**Information about storage in one common storage facility:** Store away from foodstuffs.**Further information about storage conditions:**

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

Storage class: 3**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****64-17-5 ethanol**WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm**107-21-1 ethanediol**WEL (Great Britain) Short-term value: 104** mg/m³, 40** ppm
Long-term value: 10* 52** mg/m³, 20** ppm
Sk *particulate **vapourIOELV (EU) Short-term value: 104 mg/m³, 40 ppm
Long-term value: 52 mg/m³, 20 ppm
Skin**DNELs****64-17-5 ethanol**

Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		343 mg/kg bw/day (worker) (long-term exposure - systemic effects)
Inhalative	DNEL	950 mg/m ³ (consumer) (acute short-term exposure - local effects)
		114 mg/m ³ (consumer) (long-term exposure - systemic effects)
		1900 mg/m ³ (worker) (acute short-term exposure - local effects)
		950 mg/m ³ (worker) (long-term exposure - systemic effects)

107-21-1 ethanediol

Dermal	DNEL	53 mg/kg bw/day (consumer) (long term (chronic) / systemic)
		106 mg/kg bw/day (worker) (long term (chronic) / systemic)
Inhalative	DNEL	7 mg/m ³ (consumer) (long term (chronic) / local)
		35 mg/m ³ (worker) (long term (chronic) / local)

PNECs**64-17-5 ethanol**

PNEC	3.6 mg/kg (sediment (fresh water))
	2.9 mg/kg (sediment (sea water))
	0.63 mg/kg (soil)
	0.96 mg/l (water (fresh water))
	0.79 mg/l (water (sea water))

107-21-1 ethanediol

PNEC	199.5 mg/l (STP)
	1.53 mg/kg (gro)
	20.9 mg/kg (sediment (fresh water))
	10 mg/l (water (intermittent release))
	10 mg/l (water (fresh water))
	1 mg/l (water (sea water))

Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 3)

8.2 Exposure controls**Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Not required in normal cases

Eye protection: Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Fluid
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value (10 g/l) : 7.0 - 8.0

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 - 200 °C

Flash point: 24 °C (DIN 51755)

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Self-igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Explosion limits components: ethanol: 3,5Vol%
Upper:	Explosion limits components: ethanol: 15Vol. %

Vapour pressure: Not determined.

Density at 20 °C: 0.90 - 0.91 g/cm³

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with water:

Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Flow time at 20 °C 10 - 12 s (DIN EN ISO 2431/4mm)

Dynamic: Not determined.

Kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 4)

10.2 Chemical stability Stable under normal conditions.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid**

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture.**Acute toxicity:****LD/LC50 values relevant for classification:****64-17-5 ethanol**

Oral	LD50	5560 mg/kg (MS) 3450 mg/kg (mouse) 7060 mg/kg (rat) 6300 mg/kg (rabbit)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4h	20000 mg/l (rat)

107-21-1 ethanediol

Oral	LD50	7712 mg/kg (rat)
Dermal	LD50	>3500 mg/kg (mouse)
Inhalative	LC50 / 6h	>2.5 mg/l (rat)

Primary irritant effect:**on the skin:**

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

on the eye:

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Sensitization:

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Repeated dose toxicity

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.**Aquatic toxicity:****64-17-5 ethanol**

EC5 / 16h	6500 mg/l (<i>Pseudomonas putida</i>)
EC50 / 48h	9267 mg/l (<i>Daphnia magna</i>)
LC50 / 24h	>100 mg/l (<i>Daphnia magna</i>)
LC50 / 48h	8140 mg/l (<i>Leuciscus idus</i>)

107-21-1 ethanediol

EC20	>1995 mg/l (Bel)
EC50 / 48h	>100 mg/l (<i>Daphnia magna</i>)
EC50 / 96 h	6500 - 13000 mg/l (<i>Pseudokirchneriella subcapitata</i>)
LC 50 / 96 h	72860 mg/l (<i>Pimephales promelas</i>)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detergent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

64-17-5 ethanol

Biodegradation	74 % (-) (5d (OECD TG 301 D))
----------------	-------------------------------

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 5)

107-21-1 ethanediol

Biodegradation 90-100 % (-) (OECD 301A)

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Dangerous waste in accordance with the Directive on the List of Waste Materials

Recommendation Waste must be disposed of while observing the local, official regulations.**European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

20 01 13* solvents

15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information**14.1 UN-Number**

ADR, IMDG, IATA UN1987

14.2 UN proper shipping nameADR 1987 ALCOHOLS, N.O.S. (ETHANOL, ETHYL METHYL KETONE)
IMDG, IATA ALCOHOLS, N.O.S. (ETHANOL, ETHYL METHYL KETONE)**14.3 Transport hazard class(es)**

ADR, IMDG, IATA

Class 3 Flammable liquids.
Label 3**14.4 Packing group**

ADR, IMDG, IATA III

14.5 Environmental hazards:**Marine pollutant:** No**14.6 Special precautions for user** Warning: Flammable liquids.**Transport/Additional information:****ADR****Limited quantities (LQ)** 5L**Transport category** 3**Tunnel restriction code** D/E**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****SEVESO category (96/82/EC):** 6

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2013

Version: 2

Revision: 10.12.2012

Trade name: SONAX Antifreeze & Clear View Concentrate

(Contd. of page 6)

National regulations:**Information about limitation of use:***Employment restrictions concerning juveniles must be observed.**Employment restrictions concerning pregnant and lactating women must be observed.***15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases*H225 Highly flammable liquid and vapour.**H302 Harmful if swallowed.**H319 Causes serious eye irritation.**H373 May cause damage to organs through prolonged or repeated exposure.**R11 Highly flammable.**R22 Harmful if swallowed.***Abbreviations and acronyms:***NOEL = No Observed Effect Level**NOEC = No Observed Effect Concentration**LC = Lethal Concentration**EC50 = half maximal effective concentration**log POW = Octanol / water partition coefficient**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**DNEL: Derived No-Effect Level (REACH)**PNEC: Predicted No-Effect Concentration (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**IOELV = indicative occupational exposure limit values*

GB