

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

JMC Under body protection black 1,3 kg

##### **Further trade names**

JMC Unterbodenschutz schwarz 1,3 kg (JM-Nr. 555 00 13)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### **Use of the substance/mixture**

SU21 Consumer uses: Private households (= general public = consumers)

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC9a Coatings and paints, thinners, paint removers

PROC7 Industrial spraying

PROC10 Roller application or brushing

PROC11 Non industrial spraying

Corrosion inhibitor

##### 1.3. Details of the supplier of the safety data sheet

##### **Manufacturer**

Company name: Johannes J. Matthies GmbH & Co. KG  
Street: Hammerbrookstr. 97  
Place: D-20097 Hamburg  
Telephone: + 49 (0) 40 2 37 21-0  
e-mail: info@matthies.de  
Internet: www.matthies.de

##### **Supplier**

Company name: Larsson UK Ltd.  
Street: 7 Alpha Court, Phoenix Parkway  
Place: GB-NN17 5DP Corby  
Telephone: + 44 1536 265633  
e-mail: info@larsson.uk.com  
Internet: www.larsson.uk.com

##### 1.4. Emergency telephone number: + 44 1536 265633

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

##### **Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Causes skin irritation.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

##### 2.2. Label elements

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 2 of 10

### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics  
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified  
naphtha (petroleum), hydrodesulphurized heavy; Low boiling point hydrogen treated naphtha

**Signal word:** Danger

#### Pictograms:



#### Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P314	Get medical advice/attention if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of waste according to applicable legislation.

#### 2.3. Other hazards

Results of PBT and vPvB assessment: not applicable

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture consisting of the following substances with harmless admixtures.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 3 of 10

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			20 - < 25 %
	927-241-2		01-2119471843-32	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 3; H226 H336 H304 H412 EUH066			
64742-95-6	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified			12,5 - < 20 %
	265-199-0	649-356-00-4	01-2119486773-24	
	Flam. Liq. 3, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H315 H336 H304 H411			
64742-82-1	naphtha (petroleum), hydrodesulphurized heavy; Low boiling point hydrogen treated naphtha			5 - < 10 %
	265-185-4	649-330-00-2	01-2119490979-12	
	Flam. Liq. 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 1; H226 H372 H304 H410			
108-32-7	propylene carbonate			2,5 - < 5 %
	203-572-1	607-194-00-1		
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

#### Further Information

The benzene content (EINECS No. 200-753-7) in individual components is less than 0.1% (Annotation P Annex I of Directive 67/548/EEC).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### After inhalation

If unconscious place in recovery position and seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Provide fresh air. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water mist.

In case of major fire and large quantities: Water spray jet, alcohol resistant foam.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 4 of 10

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use suitable breathing apparatus. Use personal protection equipment. Remove persons to safety.

### **6.2. Environmental precautions**

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Ensure that the workplace is well ventilated/has an extractor system.

Avoid aerosol formation.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Keep respirators at hand.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed.

#### **Hints on joint storage**

No special measures are necessary.

#### **Further information on storage conditions**

Keep container tightly closed.

### **7.3. Specific end use(s)**

No information available.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

#### **Additional advice on limit values**

The lists valid during compilation serve as a basis.

### **8.2. Exposure controls**



#### **Appropriate engineering controls**

See section 7. Additional information on plant design:

#### **Protective and hygiene measures**

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 5 of 10

Wash hands before breaks and after work.  
Do not breathe gas/fumes/vapour/spray.  
Avoid contact with skin.  
Avoid contact with eyes.

### Eye/face protection

Wear safety glasses.

### Hand protection

Wear suitable gloves.

Suitable material: Butyl caoutchouc (butyl rubber)  
Thickness of the glove material: 0,4 mm

The required protective gloves have to be specified by the glove material and the penetration time of the glove material depending on strength and duration of dermal exposition.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Respiratory protection

Unnecessary where room is well ventilated.

Use a respiratory filter unit in the event of brief or low exposure. A respirator with an independent oxygen supply must be used in the event of more intensive or longer exposure.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	As per product designation
Odour:	characteristic

#### Test method

pH-Value:	not determined
-----------	----------------

### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	135 °C
Flash point:	27 °C

### Flammability

Solid:	not applicable
Gas:	not applicable

### Explosive properties

The product is not explosive, but explosive vapour/air mixtures may form.

Lower explosion limits:	0,7 vol. %
Upper explosion limits:	7,5 vol. %
Ignition temperature:	450 °C

### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Vapour pressure: (at 20 °C)	5 hPa
--------------------------------	-------

Density (at 20 °C):	1,21 g/cm <sup>3</sup>
---------------------	------------------------

Water solubility:	Immiscible or difficult to mix.
-------------------	---------------------------------

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 6 of 10

Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Flow time: (at 20 °C)	17 s ISO 6 mm
Vapour density:	not determined
Evaporation rate:	not determined
Solvent content:	Organic solvents: 26,5 % EU-VOC: 320,7 g/l EU-VOC in %: 26,50 %

### 9.2. Other information

Solid content: 37,6 %

Odour threshold: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
64742-95-6	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified			
	oral	LD50 > 5000 mg/kg	Rat	
	dermal	LD50 > 2000 mg/kg	Rabbit	
64742-82-1	naphtha (petroleum), hydrodesulphurized heavy; Low boiling point hydrogen treated naphtha			
	oral	LD50 > 5000 mg/kg	Rat	
	dermal	LD50 > 2000 mg/kg	Rabbit	

#### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 7 of 10

### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics)

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (naphtha (petroleum), hydrodesulphurized heavy; Low boiling point hydrogen treated naphtha)

### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

No information available.

Toxic to fish.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

not applicable

### 12.6. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Drinking water is already threatened by minor quantities seeping into the groundwater.

Toxic to fish. Toxic to aquatic organisms.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Should not be disposed of together with household waste. Do not empty into drains.

#### List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

14.1. UN number: UN 1139

14.2. UN proper shipping name: Coating solution

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**JMC Under body protection black 1,3 kg**

Print date: 02.07.2020

Product code: 5550014

Page 8 of 10

**14.3. Transport hazard class(es):** 3**14.4. Packing group:** II

Hazard label: 3



Classification code: F1  
 Limited quantity: 5 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 33  
 Tunnel restriction code: D/E

**Marine transport (IMDG)****14.1. UN number:** UN 1139**14.2. UN proper shipping name:** Coating solution**14.3. Transport hazard class(es):** 3**14.4. Packing group:** II

Hazard label: 3



Special Provisions: -  
 Limited quantity: 5 L  
 Excepted quantity: E2  
 EmS: F-E, S-E

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** UN 1139**14.2. UN proper shipping name:** Coating solution**14.3. Transport hazard class(es):** 3**14.4. Packing group:** II

Hazard label: 3



Special Provisions: A3  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y341  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 353  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 364  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes

**14.6. Special precautions for user**

Warning: flammable liquids.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Under body protection black 1,3 kg

Print date: 02.07.2020

Product code: 5550014

Page 9 of 10

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

#### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**JMC Under body protection black 1,3 kg**

Print date: 02.07.2020

Product code: 5550014

Page 10 of 10

**Identified uses**

No	Short title	SU main	SU	PC	PROC	ERC	AC	Specification
1	SU21 Consumer uses: Private households (= general public = consumers)	21	21	-	-	-	-	
2	PC9a Beschichtungen und Farben, Verdünner, Farbeentferner	-	-	9a	-	-	-	

SU main: Main user groups

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*