



## Safety Data Sheet

Copyright, 2013, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 09-1221-2 **Version number:** 7.00  
**Revision date:** 16/08/2013 **Supersedes date:** 12/09/2012  
**Transportation version number:** 2.00 (05/12/2012)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

3M 05900 Bumper Repair Material

#### Product identification numbers

FS-9100-3087-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**E Mail:** tox.uk@mmm.com

**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

**This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:**

08-7102-0, 08-7101-2

### TRANSPORTATION INFORMATION

FS-9100-3087-3

#### Component 1

**ADR/RID:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. LIMITED QUANTITY, (LIQUID EPOXY RESIN), 9., III, (E), ADR Classification Code: M6.

**IMDG-CODE:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (LIQUID EPOXY RESIN), 9., III, LIMITED QUANTITY, Marine Pollutant, (LIQUID EPOXY RESIN), EMS: FA, SF.

**ICAO/IATA:** FORBIDDEN: IATA PRESSURE TEST ACC. 5.0.2.9 NOT PERFORMED ON PACKAGE

## 3M 05900 Bumper Repair Material

### Component 2

**ADR/RID:** NOT RESTRICTED FOR ROAD (ADR/RID), (--).

**IMDG-CODE:** not restricted according to IMDG-Code, LIMITED QUANTITY.

**ICAO/IATA:** NOT RESTRICTED FOR AIR SHIPMENT, LIMITED QUANTITY.

## KIT LABEL

### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### SIGNAL WORD

WARNING!

#### Symbols:

GHS07 (Exclamation mark) | GHS09 (Environment) |

#### Pictograms



#### HAZARD STATEMENTS:

H319

Causes serious eye irritation.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H411

Toxic to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

##### Prevention:

P280E

Wear protective gloves.

P273

Avoid release to the environment.

##### Response:

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

##### Disposal:

P501

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

##### Symbol(s)



Irritant



Dangerous  
for the

environment

**Contains:**

Consult the component labels for disclosable ingredients.

**Risk phrases**

R36/38 Irritating to eyes and skin.  
R43 May cause sensitisation by skin contact.  
R51/53 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**Safety phrases**

S24 Avoid contact with skin.  
S37 Wear suitable gloves.  
S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

**Special provisions concerning the labelling of certain substances**

Contains epoxy resins. See information supplied by manufacturer.

**EU VOC Directive (2004/42/EC) labelling:**2004/42/EC IIB(b)(250) 000g/l

**Revision information:**

Revision Changes:  
Kit: Component document group number(s) information was modified.  
Copyright information was modified.  
Label: Signal Word - Header information was added.  
Label: Signal Word information was added.  
Label: CLP Classification information was added.  
Label: CLP Classification - Header information was added.  
Label: CLP Environmental Hazard Statements information was added.  
Label: Graphic information was added.  
Label: Graphic information was added.  
Label: Symbol information was added.  
Label: Symbol information was added.  
Label: CLP Precautionary - Disposal information was added.  
Label: CLP Precautionary - Disposal - Header information was added.  
Label: CLP Precautionary - Prevention information was added.  
Label: CLP Precautionary - Prevention - Header information was added.  
Label: CLP Precautionary - Response information was added.  
Label: CLP Precautionary - Response - Header information was added.  
Label: Precautionary Statement - Header information was added.  
Section 2: 2.2 & 2.3. CLP REGULATION heading information was added.  
Label: Graphic Text information was added.  
Label: Graphic information was added.  
Label: Graphic information was added.  
Label: Graphic Text information was added.  
Section 2: Symbol information was deleted.  
Section 2: Symbols heading information was deleted.



## Safety Data Sheet

Copyright, 2013, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	08-7101-2	<b>Version number:</b>	13.00
<b>Revision date:</b>	16/08/2013	<b>Supersedes date:</b>	02/07/2013
<b>Transportation version number:</b>	1.00 (12/08/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**E Mail:** tox.uk@mmm.com

**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

##### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

##### Indication of danger

Irritant; Xi; R36/38

Sensitizing; R43

Dangerous for the environment; N; R51/53

For full text of R phrases, see Section 16.

## 2.2. Label elements

### CLP REGULATION (EC) No 1272/2008

#### SIGNAL WORD

WARNING!

#### Symbols:

GHS07 (Exclamation mark) |GHS09 (Environment) |

#### Pictograms



Ingredient	CAS Nbr	% by Wt
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	25 - 35
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	20 - 30

#### HAZARD STATEMENTS:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

##### Prevention:

P280E	Wear protective gloves.
P273	Avoid release to the environment.

##### Response:

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

##### Disposal:

P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
------	--

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 1% of components with unknown hazards to the aquatic environment.

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

#### Symbol(s)

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

Irritant

Dangerous  
for the  
environment**Contains:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane; Phenol-formaldehyde polymer, glycidyl ether

**Risk phrases**

R36/38 Irritating to eyes and skin.  
 R43 May cause sensitisation by skin contact.  
 R51/53 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**Safety phrases**

S24 Avoid contact with skin.  
 S37 Wear suitable gloves.  
 S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

**Special provisions concerning the labelling of certain substances**

Contains epoxy resins. See information supplied by manufacturer.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Limestone	1317-65-3	EINECS 215-279-6	40 - 50	
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4		25 - 35	N:R51/53 (Vendor) R43 (Self Classified)  Aquatic Chronic 2, H411 (Vendor) Skin Sens. 1, H317 (Self Classified)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NLP 500-033-5	20 - 30	Xi:R36-38; N:R51/53; R43 (EU)  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 2, H411 (CLP)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	67762-90-7		1 - 5	
Surface Treatment	Trade Secret		< 2	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### **If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

### **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## **SECTION 5: Fire-fighting measures**

### **5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide to extinguish.

### **5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

### **5.3. Advice for fire-fighters**

No unusual fire or explosion hazards are anticipated.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

### **6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from oxidising agents. Store away from areas where product may come into contact with food or pharmaceuticals.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Limestone	1317-65-3	Health and Safety Comm. (UK)	TWA(as inhalable dust):10 mg/m <sup>3</sup> ;TWA(as respirable dust):4 mg/m <sup>3</sup> ;TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup>	
Silica, amorphous	67762-90-7	Health and Safety Comm. (UK)	TWA(as inhalable dust):6 mg/m <sup>3</sup> ;TWA(as respirable dust):2.4 mg/m <sup>3</sup>	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Wear eye/face protection.

The following eye protection(s) are recommended: Indirect vented goggles.

##### Skin/hand protection

Wear protective gloves.

## 3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Polymer laminate

The following protective clothing material(s) are recommended: Apron - polymer laminate

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Appearance/Odour	Black thixotropic, typical epoxy odour.
Odour threshold	<i>No data available.</i>
pH	<i>Not applicable.</i>
Boiling point/boiling range	<i>Not applicable.</i>
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	$\geq 150$ °C
Autoignition temperature	<i>Not applicable.</i>
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Vapour pressure	<i>Not applicable.</i>
Relative density	1.56 [ <i>Ref Std: WATER=1</i> ]
Water solubility	Nil
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>Not applicable.</i>
Vapour density	<i>Not applicable.</i>
Decomposition temperature	<i>No data available.</i>
Viscosity	400 - 600 Pa-s
Density	<i>No data available.</i>

### 9.2. Other information

Volatile organic compounds (VOC)	<i>Not applicable.</i>
Percent volatile	< 1 %
VOC less H <sub>2</sub> O & exempt solvents	<i>Not applicable.</i>

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
Aldehydes.	Not specified.
Carbon monoxide.	Not specified.
Carbon dioxide.	Not specified.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### Toxicological Data

#### Acute Toxicity

Name	Route	Species	Value
------	-------	---------	-------

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

Overall product	Ingestion		Data not available or insufficient for classification; calculated ATE >5,000 mg/kg
Limestone	Dermal	Rat	LD50 > 2,000 mg/kg
Limestone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 3.0 mg/l
Limestone	Ingestion	Rat	LD50 6,450 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Rat	LD50 > 1,600 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Rat	LD50 > 1,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Dermal	Rabbit	LD50 > 6,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 1.7 mg/l
Phenol-formaldehyde polymer, glycidyl ether	Ingestion	Rat	LD50 > 4,000 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Rabbit	LD50 > 5,000 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Limestone	Rabbit	No significant irritation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	Mild irritant
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Minimal irritation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
Limestone	Rabbit	No significant irritation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	Moderate irritant
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Mild irritant
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	No significant irritation

**Skin Sensitisation**

Name	Species	Value
Limestone		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Human and animal	Sensitising
Phenol-formaldehyde polymer, glycidyl ether	Human and animal	Sensitising
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Human and animal	Not sensitizing

**Respiratory Sensitisation**

Name	Species	Value

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

Limestone		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Human	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane		Data not available or insufficient for classification

**Germ Cell Mutagenicity**

Name	Route	Value
Limestone		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	In vivo	Not mutagenic
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether	In Vitro	Some positive data exist, but the data are not sufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	In Vitro	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
Limestone			Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether			Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Limestone	Ingestion	Not toxic to development	Rat	NOAEL 625 mg/kg/day	prematuring & during gestation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Not toxic to development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
4,4'-	Ingestion	Not toxic to	Rat	NOAEL 750	2 generation

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane		development		mg/kg/day	
Phenol-formaldehyde polymer, glycidyl ether		Data not available or insufficient for classification			
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Limestone	Inhalation	respiratory system	All data are negative	Rat	NOAEL 0.812 mg/l	90 minutes
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane			Data not available or insufficient for classification			

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Limestone	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	2 years
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	nervous system	All data are negative	Rat	NOAEL 1,000 mg/kg/day	13 weeks

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

ediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane						
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	auditory system   heart   endocrine system   hematopoietic system   liver   eyes   kidney and/or bladder	All data are negative	Rat	NOAEL 1,000 mg/kg/day	28 days
Phenol-formaldehyde polymer, glycidyl ether			Data not available or insufficient for classification			
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Inhalation	respiratory system   silicosis	All data are negative	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

Name	Value
Limestone	Not an aspiration hazard
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not an aspiration hazard
Phenol-formaldehyde polymer, glycidyl ether	Not an aspiration hazard
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not an aspiration hazard

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Water flea	Laboratory	48 hours	EC50	3.5 mg/l
Phenol-formaldehyde	28064-14-4	Golden Orfe	Laboratory	96 hours	LC50	5.7 mg/l

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

polymer, glycidyl ether						
4,4'- Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	67762-90-7		Data not available or insufficient for classification			
4,4'- Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	25068-38-6	Ricefish	Experimental	96 hours	LC50	1.41 mg/l
4,4'- Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	25068-38-6	Water flea	Experimental	21 days	NOEC	0.3 mg/l
Limestone	1317-65-3	Western Mosquitofish	Experimental	96 hours	LC50	>100 mg/l
Limestone	1317-65-3	Rainbow trout	Experimental	21 days	NOEC	>100 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Phenol- formaldehyde polymer, glycidyl ether	28064-14-4	Laboratory Biodegradation	28 days	CO2 evolution	10 % weight	OECD 301B - Modified sturm or CO2
4,4'- Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
4,4'- Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	25068-38-6	Laboratory Hydrolysis		Hydrolytic half-life	<2 days (t 1/2)	Other methods
4,4'- Isopropylidene	25068-38-6	Laboratory Biodegradation	28 days	BOD	0 % weight	OECD 301C - MITI test (I)

**3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)**

diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane						
Limestone	1317-65-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	Laboratory BCF - Other	28 days	Bioaccumulation factor	<42	Other methods
Limestone	1317-65-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during

## 3M Brand Bumper Repair Material P/N 05900/05901 Part B (manufactured as PM 5538)

incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

### EU waste code (product as sold)

- 08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances
- 20 01 27\* Paint, inks, adhesives and resins containing dangerous substances

## SECTION 14: Transportation information

IATA: FORBIDDEN; IATA pressure test ACC. 5.0.2.9 not performed on package

ADR: UN3082; Environmentally hazardous substance, liquid, n.o.s., limited quantity, (liquid epoxy resin); 9; III; M6.

IMDG: UN3082; Environmentally hazardous substance, liquid, n.o.s., (liquid epoxy resin); 9; III; EmS FA,SF.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information.

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

### List of relevant H statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

### List of relevant R-phrases

- R36 Irritating to eyes.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R51/53 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### Revision information:

Revision Changes:

Section 1: Product name information was modified.

Section 8: Eye/face protection information information was modified.

Section 8: Skin protection - recommended gloves information information was modified.

Page Heading: Product name information was modified.

Section 9: Viscosity information information was modified.

Section 3: Composition/ Information of ingredients table information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Bioaccumulative potential information information was modified.  
Section 14: Transportation classification information was modified.  
Section 9: Flash point information information was modified.  
Label: CLP Percent Unknown information was modified.  
Label: CLP Percent Unknown information was modified.  
Section 8: Occupational exposure limit table information was modified.  
Aspiration Hazard Table information was modified.  
Section 11: Acute Toxicity table information was modified.  
Carcinogenicity Table information was modified.  
Serious Eye Damage/Irritation Table information was modified.  
Germ Cell Mutagenicity Table information was modified.  
Skin Sensitisation Table information was modified.  
Respiratory Sensitisation Table information was modified.  
Reproductive Toxicity Table information was modified.  
Skin Corrosion/Irritation Table information was modified.  
Target Organs - Repeated Table information was modified.  
Target Organs - Single Table information was modified.  
Section 11: Health Effects - Inhalation information information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 7: Precautions safe handling information information was modified.  
Section 8: Appropriate Engineering controls information information was modified.  
Section 8: Personal Protection - Skin/hand information information was modified.  
Section 8: Personal Protection - Respiratory Information information was modified.  
Section 10: Hazardous decomposition or by-products table information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 8: Skin protection - protective clothing recommendations information was added.  
Section 8: Skin protection - protective clothing information information was added.  
Section 8: Skin protection - protective clothing text information was added.  
Section 15: Carcinogenicity heading information was deleted.  
Section 15: Carcinogenicity information information was deleted.  
Section 15: Carcinogenicity table Regulation column heading information was deleted.  
Section 15: Carcinogenicity table Ingredient column heading information was deleted.  
Section 15: Carcinogenicity table CAS No column heading information was deleted.  
Section 15: Carcinogenicity table Classification column heading information was deleted.  
Section 12: Acute aquatic hazard information information was deleted.  
Section 12: Chronic aquatic hazard heading information was deleted.  
Section 12: Acute aquatic hazard heading information was deleted.  
Section 12: Chronic aquatic hazard information information was deleted.  
Label: CLP Supplemental Hazard Statements information was deleted.  
Label: CLP Supplemental Hazard Statements - Header information was deleted.  
Label: CLP Supplemental Information - Header information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**



## Safety Data Sheet

Copyright, 2013, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	08-7102-0	<b>Version number:</b>	7.00
<b>Revision date:</b>	16/08/2013	<b>Supersedes date:</b>	09/04/2013
<b>Transportation version number:</b>	1.00 (12/08/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Adhesive

#### 1.3. Details of the supplier of the substance or mixture

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**E Mail:** tox.uk@mmm.com

**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

##### CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

##### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### SUPPLEMENTAL INFORMATION

**3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)****Supplemental Hazard Statements:**

EUH210 Safety data sheet available on request.

Contains 90% of components with unknown hazards to the aquatic environment.

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive****Symbol(s)**

None.

**Contains:**

No ingredients are assigned to the label.

**Risk phrases** None.**Safety phrases** None.**Special provisions concerning the labelling of certain substances**

Safety data sheet available for professional user on request.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

<b>Ingredient</b>	<b>CAS Nbr</b>	<b>EU Inventory</b>	<b>% by Wt</b>	<b>Classification</b>
Polymercaptan polymer	Trade Secret		80 - 100	
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	EINECS 202-013-9	1 - 10	Xn:R22; Xi:R36-38 (EU)  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 (CLP)
Dimethyl siloxane, reaction product with silica	67762-90-7		1 - 5	
Titanium dioxide	13463-67-7	EINECS 236-675-5	< 1	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

**5.1. Extinguishing media**

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**5.3. Advice for fire-fighters**

No unusual fire or explosion hazards are anticipated.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

**6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protective equipment (eg. gloves, respirators...) as required.

**7.2. Conditions for safe storage including any incompatibilities**

Protect from sunlight. Store away from heat. Store away from areas where product may come into contact with food or pharmaceuticals.

**7.3. Specific end use(s)**

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational exposure limits**

<b>Ingredient</b>	<b>CAS Nbr</b>	<b>Agency</b>	<b>Limit type</b>	<b>Additional comments</b>
Titanium dioxide	13463-67-7	Health and Safety Comm. (UK)	TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup>	
Silica, amorphous	67762-90-7	Health and Safety Comm. (UK)	TWA(as inhalable dust):6 mg/m <sup>3</sup> ;TWA(as respirable dust):2.4 mg/m <sup>3</sup>	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CELL: Ceiling

### **8.2. Exposure controls**

#### **8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

#### **8.2.2. Personal protective equipment (PPE)**

##### **Eye/face protection**

Wear eye/face protection.

The following eye protection(s) are recommended: Indirect vented goggles.

##### **Skin/hand protection**

Wear protective gloves.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment.

Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials.

Gloves made from the following material(s) are recommended: Polymer laminate

The following protective clothing material(s) are recommended:Apron - polymer laminate

##### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Appearance/Odour	White colour; mercaptan odour
Odour threshold	<i>No data available.</i>
pH	<i>No data available.</i>
Boiling point/boiling range	<i>No data available.</i>
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	200 °C
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Relative density	1.1 - 1.17 [Ref Std:WATER=1]
Water solubility	Nil
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
Viscosity	400 - 650 Pa-s
Density	<i>No data available.</i>

### 9.2. Other information

Volatile organic compounds (VOC)	<i>No data available.</i>
Percent volatile	1 %
VOC less H <sub>2</sub> O & exempt solvents	<i>No data available.</i>

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

None known.

**10.6 Hazardous decomposition products**

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	Not specified.
Carbon dioxide.	Not specified.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects**

**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain.

**Skin contact**

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

**Eye contact**

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision. Dust created by cutting, grinding, sanding, or machining may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Ingestion**

May be harmful if swallowed.

**Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

**Toxicological Data**

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		Data not available or insufficient for classification; calculated ATE >5,000 mg/kg
Overall product	Ingestion		Data not available or insufficient for classification; calculated ATE 2,586.3 mg/kg
Polymercaptan polymer	Dermal	Rabbit	LD50 > 10,200 mg/kg
Polymercaptan polymer	Ingestion	Rat	LD50 2,600 mg/kg
Dimethyl siloxane, reaction product with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Dimethyl siloxane, reaction product with silica	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Dimethyl siloxane, reaction product	Ingestion	Rat	LD50 > 5,110 mg/kg

**3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)**

with silica			
2,4,6-Tris(dimethylaminomethyl)phenol	Dermal	Rat	LD50 1,280 mg/kg
2,4,6-Tris(dimethylaminomethyl)phenol	Ingestion	Rat	LD50 1,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Polymercaptan polymer		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
2,4,6-Tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Titanium dioxide	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
Polymercaptan polymer		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
2,4,6-Tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Titanium dioxide	Rabbit	No significant irritation

**Skin Sensitisation**

Name	Species	Value
Polymercaptan polymer		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica	Human and animal	Not sensitizing
2,4,6-Tris(dimethylaminomethyl)phenol	Guinea pig	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	Human and animal	Not sensitizing

**Respiratory Sensitisation**

Name	Species	Value
Polymercaptan polymer		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica		Data not available or insufficient for classification
2,4,6-Tris(dimethylaminomethyl)phenol		Data not available or insufficient for classification
Titanium dioxide		Data not available or insufficient for classification

**Germ Cell Mutagenicity**

Name	Route	Value
Polymercaptan polymer		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica	In Vitro	Not mutagenic
2,4,6-Tris(dimethylaminomethyl)phenol	In Vitro	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
Polymercaptan polymer			Data not available or insufficient for

**3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)**

			classification
Dimethyl siloxane, reaction product with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
2,4,6-Tris(dimethylaminomethyl)phenol			Data not available or insufficient for classification
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Polymercaptan polymer		Data not available or insufficient for classification			
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
2,4,6-Tris(dimethylaminomethyl)phenol		Data not available or insufficient for classification			
Titanium dioxide		Data not available or insufficient for classification			

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Polymercaptan polymer			Data not available or insufficient for classification			
Dimethyl siloxane, reaction product with silica			Data not available or insufficient for classification			
2,4,6-Tris(dimethylaminomethyl)phenol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Titanium dioxide			Data not available or insufficient for classification			

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Polymercaptan polymer			Data not available or insufficient for classification			

**3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)**

Dimethyl siloxane, reaction product with silica	Inhalation	respiratory system   silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
2,4,6-Tris(dimethylaminomethyl)phenol	Dermal	skin   liver   nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 125 mg/kg/day	28 days
2,4,6-Tris(dimethylaminomethyl)phenol	Dermal	auditory system   hematopoietic system   eyes	All data are negative	Rat	NOAEL 125 mg/kg/day	28 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.010 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	All data are negative	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

Name	Value
Polymercaptan polymer	Not an aspiration hazard
Dimethyl siloxane, reaction product with silica	Not an aspiration hazard
2,4,6-Tris(dimethylaminomethyl)phenol	Not an aspiration hazard
Titanium dioxide	Not an aspiration hazard

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Polymercaptan polymer	Trade Secret		Data not available or insufficient for classification			
Dimethyl siloxane, reaction product with silica	67762-90-7		Data not available or insufficient for classification			
2,4,6-Tris(dimethylaminomethyl)ph	90-72-2	Grass Shrimp	Experimental	96 hours	LC50	718 mg/l

**3M Brand Bumper Repair Material P/N 05900/05901 Part A (manufactured as PM 5548)**

enol						
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	Common Carp	Experimental	96 hours	LC50	175 mg/l
Titanium dioxide	13463-67-7	Crustacea other	Experimental	96 hours	EC50	>300 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide	13463-67-7	Sheepshead Minnow	Experimental	96 hours	LC50	>240 mg/l
Titanium dioxide	13463-67-7	Fish	Experimental	30 days	NOEC	>=1,000 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	30 days	NOEC	3 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Polymercaptan polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	Experimental Biodegradation	28 days	BOD	4 % weight	OECD 301D - Closed bottle test
Titanium dioxide	13463-67-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Polymercaptan polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	Experimental Bioconcentration		Log Kow	-0.66	Other methods
Titanium dioxide	13463-67-7	Experimental BCF - Other	42 days	Bioaccumulation factor	9.6	Other methods

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

#### 12.6. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

#### EU waste code (product as sold)

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances  
20 01 27\* Paint, inks, adhesives and resins containing dangerous substances

### SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Carcinogenicity

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
Titanium dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

##### Global inventory status

Contact 3M for more information.

#### 15.2. Chemical Safety Assessment

Not applicable

### SECTION 16: Other information

#### List of relevant H statements

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

**List of relevant R-phrases**

R22 Harmful if swallowed.  
R36 Irritating to eyes.  
R38 Irritating to skin.

**Revision information:**

Revision Changes:

Section 1: Product name information was modified.  
Section 8: Eye/face protection information information was modified.  
Section 8: Skin protection - recommended gloves information information was modified.  
Section 8: Respiratory protection - recommended respirators information information was modified.  
Page Heading: Product name information was modified.  
Sections 3 and 9: Odour, colour, grade information information was modified.  
Section 1: Product use information information was modified.  
Section 9: Viscosity information information was modified.  
Section 3: Composition/ Information of ingredients table information was modified.  
Section 9: Relative density information information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Bioaccumulative potential information information was modified.  
Section 9: Flash point information information was modified.  
Section 8: Occupational exposure limit table information was modified.  
Aspiration Hazard Table information was modified.  
Section 11: Acute Toxicity table information was modified.  
Carcinogenicity Table information was modified.  
Serious Eye Damage/Irritation Table information was modified.  
Germ Cell Mutagenicity Table information was modified.  
Skin Sensitisation Table information was modified.  
Respiratory Sensitisation Table information was modified.  
Reproductive Toxicity Table information was modified.  
Skin Corrosion/Irritation Table information was modified.  
Target Organs - Repeated Table information was modified.  
Target Organs - Single Table information was modified.  
Section 11: Health Effects - Eye information information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 7: Precautions safe handling information information was modified.  
Section 8: Appropriate Engineering controls information information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 4: First aid for eye contact information information was modified.  
Section 8: Skin protection - protective clothing recommendations information was added.  
Section 8: Skin protection - protective clothing information information was added.  
Section 8: Skin protection - protective clothing text information was added.  
Section 15: Carcinogenicity heading information was added.  
Section 15: Carcinogenicity information information was added.  
Section 15: Carcinogenicity table Regulation column heading information was added.  
Section 15: Carcinogenicity table Ingredient column heading information was added.  
Section 15: Carcinogenicity table CAS No column heading information was added.  
Section 15: Carcinogenicity table Classification column heading information was added.  
Section 11: Carcinogenicity heading information was added.

Section 11: Cancer Hazards information information was added.  
Section 12: Acute aquatic hazard information information was deleted.  
Section 12: Chronic aquatic hazard heading information was deleted.  
Section 12: Acute aquatic hazard heading information was deleted.  
Section 12: Chronic aquatic hazard information information was deleted.  
Label: CLP Percent Unknown information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**