

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Extra HLP 32 hydraulic oil 1 ltr.

UFI: AWYH-U23Q-8H0W-FG00

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

Uses advised against

Relevant identified uses: none

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG
Street: Hammerbrookstr. 97
Place: D-20097 Hamburg
Telephone: + 49 (0) 40 2 37 21-0
e-mail: info@matthies.de
Internet: www.matthies.de

Supplier

Company name: Larsson UK Ltd.
Street: 7 Alpha Court, Phoenix Parkway
Place: GB-NN17 5DP Corby
Telephone: + 44 1536 265633
e-mail: info@larsson.uk.com
Internet: www.larsson.uk.com

1.4. Emergency telephone number:

+ 44 1536 265633

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Asp. Tox. 1; H304
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Base oil, low viscosity

Signal word: Danger

Pictograms:



Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 2 of 10

Hazard statements

H304 May be fatal if swallowed and enters airways.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 P331 Do NOT induce vomiting.
 P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Do not allow uncontrolled discharge of product into the environment.
 Endocrine disrupting potential < 0,1 %
 The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
72623-86-0	Base oil, low viscosity			50 - < 100 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
128-37-0	phenol. Antioxidans			0,25 - < 1 %
	204-881-4		01-2119565113-46	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
	Phenylphosphatderivate			0,1 - < 1 %
	945-730-9		01-2119511174-52	
	Aquatic Acute 1, Aquatic Chronic 3; H400 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
72623-86-0	276-737-9	Base oil, low viscosity	50 - < 100 %
	inhalation: LC50 = > 5,53 mg/l (dusts or mists); oral: LD50 = > 5001 mg/kg		
128-37-0	204-881-4	phenol. Antioxidans	0,25 - < 1 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2930 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		
	945-730-9	Phenylphosphatderivate	0,1 - < 1 %
	oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=1		

Further Information

IP 346: Dimethylsulfoxide (DMSO)-Extraction < 3 %

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 3 of 10

After contact with skin

Wash with plenty of soap and water.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Immediately call a POISON CENTER/doctor/. Rinse mouth. Never give anything by mouth to an unconscious person or a person with cramps. Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Following ingestion: Aspiration hazard, Pneumonia.

Treat symptomatically.

4.3. Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO₂), Extinguishing powder, Water spray jet

In case of major fire and large quantities: alcohol resistant foam, Water spray jet (Water with tenside additive)

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

@0202.B020243

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Pyrolysis products, toxic**5.3. Advice for firefighters**

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

Additional information

In case of fire: Wear self-contained breathing apparatus. Use personal protection equipment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains.

Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 4 of 10

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid: aerosol or mist formation. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

When using do not eat, drink, smoke, sniff. Do not put any product-impregnated cleaning rags into your trouser pockets. Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Store in a well-ventilated place. Store in a dry place.

Hints on joint storage

Do not store together with: Oxidising agent, strong, Strong acid, Strong alkali.

Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater.

Do not store at temperatures above Flash point

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes. Protect skin by using skin protective cream.

Eye/face protection

Filling and transfer: Wear eye/face protection. DIN EN 166

Hand protection

Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)

Breakthrough time: >= 480 min.

Thickness of the glove material >= 0,38 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 5 of 10

supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	green	
Odour:	characteristic	
Odour threshold:	not determined	
pH-Value:		not applicable

Changes in the physical state

Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flash point:		125 °C

Flammability

Solid/liquid:		@0202.B020243 °C
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
Density (at 15 °C):		0,84 g/cm ³
Water solubility:		practically insoluble

Solubility in other solvents

not determined		
Partition coefficient n-octanol/water:		not applicable
Viscosity / kinematic: (at 40 °C)		18,6 mm ² /s
Relative vapour density:		not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No information available.

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 6 of 10

10.5. Incompatible materials

Oxidising agent, strong, Strong acid, Strong alkali

10.6. Hazardous decomposition productsIn case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Pyrolysis products, toxic**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72623-86-0	Base oil, low viscosity				
	oral	LD50 > 5001 mg/kg	Rat	Manufacturer	OECD 401
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	Manufacturer	
128-37-0	phenol. Antioxidans				
	oral	LD50 > 2930 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 5000 mg/kg	Rat	Manufacturer	OECD 402
	Phenylphosphatderivate				
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
72623-86-0	Base oil, low viscosity					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Piscis	Manufacturer OECD 203
	Algae toxicity	NOEC mg/l	> 100	3 d	Algae	Manufacturer OECD 201
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia	Manufacturer OECD 211
128-37-0	phenol. Antioxidans					
	Acute crustacea toxicity	EC50 mg/l	0,61	48 h	Daphnia	Manufacturer OECD 202
	Crustacea toxicity	NOEC mg/l	> 0,39	21 d	Daphnia	Manufacturer OECD 211
	Phenylphosphatderivate					
	Algae toxicity	NOEC mg/l	0,11	3 d	Algae	Manufacturer

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
128-37-0	phenol. Antioxidans			
	OECD 302C	30 %		Manufacturer
	Not readily biodegradable (according to OECD criteria)			
	Phenylphosphatderivate			
	OECD 301C	75 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

phenol. Antioxidans: May accumulate in organisms.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further informationAvoid release to the environment.
slightly hazardous to water**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 8 of 10

List of Wastes Code - residues/unused products

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

List of Wastes Code - used product

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 9 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

M-Factor: Multiplication Factor

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

TI: Technical Instructions

DGR: Dangerous Goods Regulations

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

EG or EC: European Community

IE: Industrial Emissions

SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

Safety Data Sheet

according to UK REACH Regulation

JMC Extra HLP 32 hydraulic oil 1 ltr.

Revision date: 13.09.2023

Page 10 of 10

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)