

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

UFI: JNYQ-E1D0-HH03-7TYE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Antifreeze agent

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG
Street: Hammerbrookstr. 97
Place: D-20097 Hamburg
Telephone: + 49 (0) 40 2 37 21-0
E-mail: info@matthies.de
Internet: www.matthies.de
Responsible Department: Abteilung Produktsicherheit
Telefax: + 49 (0) 40 2 37 21-363

Supplier

Company name: Larsson UK Ltd.
Street: 7 Alpha Court, Phoenix Parkway
Place: GB-NN17 5DP Corby
Telephone: + 44 1536 265633
E-mail: info@larsson.uk.com
Internet: www.larsson.uk.com

1.4. Emergency telephone number:

+ 44 1536 265633

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 2 of 11

| | |
|-----------|--|
| P102 | Keep out of reach of children. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of waste according to applicable legislation. |

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

| CAS No | Chemical name | | | Quantity |
|----------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 64-17-5 | ethanol, ethyl alcohol | | | 25 - 40 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 107-21-1 | ethanediol, ethylene glycol | | | 5 - 10 % |
| | 203-473-3 | 603-027-00-1 | 01-2119456816-28 | |
| | Acute Tox. 4, STOT RE 2; H302 H373 | | | |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | < 1 % |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|-----------|---|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 64-17-5 | 200-578-6 | ethanol, ethyl alcohol | 25 - 40 % |
| | | inhalation: LC50 = 125 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 15010 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | |
| 107-21-1 | 203-473-3 | ethanediol, ethylene glycol | 5 - 10 % |
| | | oral: ATE = 500 mg/kg | |

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, perfumes.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. Do not leave affected person unattended. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water.

In case of skin reactions, consult a physician. Rinse immediately carefully and thoroughly with eye-bath or water.

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 3 of 11

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Call a doctor if you feel unwell.
Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. May cause respiratory irritation. Has degreasing effect on the skin.
Specific effects: central nervous system: Headache, Dizziness, Spasms

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), alcohol resistant foam, Extinguishing powder, Water mist

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour. In use may form flammable/explosive vapour-air mixture.
In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use water spray jet to protect personnel and to cool endangered containers. Provide adequate ventilation.
Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Remove persons to safety. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation. (Water (with cleaning agent))
Avoid: Solvents

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 4 of 11

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

- Provide earthing of containers, equipment, pumps and ventilation facilities.
- Use explosion-proof ventilating equipment.
- Do not breathe gas/fumes/vapour/spray.
- Use personal protection equipment.

Advice on protection against fire and explosion

- Keep away from sources of ignition - No smoking.
- Take precautionary measures against static discharges.
- Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

- Keep container tightly closed in a cool, well-ventilated place. Avoid: Light, Humidity .
- Remove all sources of ignition.

Hints on joint storage

- Keep away from food, drink and animal feedingstuffs.
- Incompatible materials: Strong acid, Strong alkali, Oxidising agent, strong, Reducing agent, strong

7.3. Specific end use(s)

Antifreeze agent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|------------------------------|------|-------------------|-----------|---------------|--------|
| 107-21-1 | Ethane-1,2-diol, particulate | - | 10 | | TWA (8 h) | WEL |
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 64-17-5 | ethanol, ethyl alcohol | | | |
| Consumer DNEL, long-term | | oral | systemic | 87 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 343 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 206 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 380 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | systemic | 114 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 1900 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 950 mg/m ³ |
| 107-21-1 | ethanediol, ethylene glycol | | | |
| Worker DNEL, long-term | | dermal | systemic | 106 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 53 mg/kg bw/day |
| Worker DNEL, acute | | inhalation | local | 35 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 7 mg/m ³ |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | |
| Worker DNEL, long-term | | inhalation | systemic | 500 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | systemic | 89 mg/m ³ |
| Worker DNEL, acute | | inhalation | systemic | 1000 mg/m ³ |
| Consumer DNEL, acute | | inhalation | systemic | 178 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 888 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 319 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 26 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 51 mg/kg bw/day |

PNEC values

| CAS No | Substance | Value |
|--|---|-----------------|
| 64-17-5 | ethanol, ethyl alcohol | |
| Freshwater | | 0,96 mg/l |
| Marine water | | 0,79 mg/l |
| Freshwater sediment | | 3,6 mg/kg |
| Marine sediment | | 2,9 mg/kg |
| Secondary poisoning | | 380 - 720 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 580 mg/l |
| Soil | | 0,63 mg/kg |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | |
| Freshwater | | 140,9 mg/l |
| Freshwater (intermittent releases) | | 140,9 mg/l |
| Marine water | | 140,9 mg/l |
| Freshwater sediment | | 552 mg/l |
| Marine sediment | | 552 mg/kg |
| Secondary poisoning | | 160 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 2251 mg/l |
| Soil | | 28 mg/kg |

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 6 of 11

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

@ES04.B001645

Hand protection

Tested protective gloves must be worn: EN ISO 374, EN388

Suitable material: NBR (Nitrile rubber), Thickness of the glove material 0,4mm, Breakthrough time: > 480min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|------------------|----------------|
| Physical state: | Liquid |
| Colour: | blue |
| Odour: | characteristic |
| Odour threshold: | not determined |
| pH-Value: | not determined |

Changes in the physical state

| | |
|---|----------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 78 °C |
| Flash point: | 28 °C |

Flammability

| | |
|----------------------------|-------------------------|
| Solid/liquid: | Flammable |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Auto-ignition temperature: | 425 °C |
| Decomposition temperature: | not determined |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 0,961 g/cm ³ |
| Water solubility: | completely miscible |

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 7 of 11

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Viscosity / kinematic:

not determined

Relative vapour density:

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Flammable

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Heat, UV-radiation/sunlight (Heating causes rise in pressure with risk of bursting.)

Take precautionary measures against static discharges.

10.5. Incompatible materials

Strong acid, Strong alkali, Oxidising agent, strong, Reducing agent, strong

10.6. Hazardous decomposition productsIn case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Pyrolysis products, toxic**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

ATE_{mix} calculated

ATE (oral) 5051 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|----------|-----------------------------|---------------|----------|--------|--------------------------|
| | Exposure route | Dose | Species | Source | Method |
| 64-17-5 | ethanol, ethyl alcohol | | | | |
| | oral | LD50 mg/kg | 15010 | Rat | Manufacturer OECD 401 |
| | dermal | LD50 mg/kg | > 20000 | Rabbit | Manufacturer |
| | inhalation (4 h) vapour | LC50 | 125 mg/l | Rat | Manufacturer OECD 403 |
| 107-21-1 | ethanediol, ethylene glycol | | | | |
| | oral | ATE mg/kg | 500 | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 8 of 11

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Has degreasing effect on the skin.

Specific effects: central nervous system: Headache, Dizziness, Spasms

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

Other information

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

The product is not: Ecotoxic.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|------------------------|---------|
| 64-17-5 | ethanol, ethyl alcohol | - 0,35 |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Hazardous waste according to Directive 2008/98/EC (waste framework directive). (HP3 Flammable; HP4

Irritant — skin irritation and eye damage)

Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 9 of 11

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 1987
14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ETHANOL, ETHANDIOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Classification code: F1
 Special Provisions: 274 601
 Limited quantity: 5 L
 Excepted quantity: E1
 Transport category: 3
 Hazard No: 30
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1987
14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ETHANOL, ETHANDIOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Classification code: F1
 Special Provisions: 274 601
 Limited quantity: 5 L
 Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1987
14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ETHANOL, ETHANDIOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Marine pollutant: -
 Special Provisions: 223 274
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-D

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|---------------------------------------|
| 14.1. UN number: | UN 1987 |
| 14.2. UN proper shipping name: | ALCOHOLS, N.O.S. (ETHANOL, ETHANDIOL) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |
| Hazard label: | 3 |



| | |
|--|---------|
| Special Provisions: | A3 A180 |
| Limited quantity Passenger: | 10 L |
| Passenger LQ: | Y344 |
| Excepted quantity: | E1 |
| IATA-packing instructions - Passenger: | 355 |
| IATA-max. quantity - Passenger: | 60 L |
| IATA-packing instructions - Cargo: | 366 |
| IATA-max. quantity - Cargo: | 220 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 270 g/L

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CCLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

Safety Data Sheet

according to UK REACH Regulation

JMC Windshield cleaner with antifreeze, ready to use 20 ltr.

Revision date: 01.08.2024

Page 11 of 11

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 M-Factor: Multiplication Factor
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 TI: Technical Instructions
 DGR: Dangerous Goods Regulations
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 EG or EC: European Community
 IE: Industrial Emissions
 SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)