

















BELL : GUÍA DE TALLAS






CASCO RACE STAR FLEX: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	35 mm	
		S	55 – 56 cm	30 mm	
		M	57 – 58 cm	30 mm	
		L	59 – 60 cm	30 mm	
		XL	61 – 62 cm	30 mm	
		XXL	63– 64 cm	30 mm	






CASCO STAR DLX MIPS: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	35 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	35 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	35 mm	
		XXL	63– 64 cm	35 mm	

CASCO SRT-MODULAR: GUÍA DE TALLAS







CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	40 mm	
		XXL	63– 64 cm	35 mm	
		XXXL	65 – 66 cm	25 mm	

CASCO SRT GUÍA DE TALLAS







CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	40 mm	
		XXL	63– 64 cm	35 mm	
		XXXL	65 – 66 cm	25 mm	

BELL : GUÍA DE TALLAS







CASCO RS-2: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	54 – 55 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	58 – 59 cm	35 mm	
		XL	60 – 61 cm	40 mm	
		XXL	62 – 63 cm	35 mm	







CASCO QUALIFIER DLX MIPS: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	40 mm	
		XXL	63 – 64 cm	35 mm	
		XXXL	65 – 66 cm	20 mm	







CASCO QUALIFIER GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	40 mm	
		XXL	63 – 64 cm	35 mm	
		XXXL	65 – 66 cm	20 mm	

CASCO BROOZER: GUÍA DE TALLAS




CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53 – 54 cm	40 mm	
		S	55 – 56 cm	35 mm	
		M	57 – 58 cm	40 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	35 mm	
		XXL	63 – 64 cm	30 mm	

CASCO MX-9 ADVENTURE GUÍA DE TALLAS







CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53–54 cm	40 mm	
		S	55–56 cm	35 mm	
		M	57–58 cm	40 mm	
		L	59–60 cm	35 mm	
		XL	61–62 cm	35 mm	
		XXL	63–64 cm	30 mm	
		XXXL	65–66 cm	25 mm	

BELL : GUÍA DE TALLAS







CASCO ELIMINATOR GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	
		XS	53 – 54 cm	45 mm	INTERCAMBIABLE
		S	55 – 56 cm	40 mm	
		M	57 – 58 cm	35 mm	
		M/L	58 – 59 cm	40 mm	INTERCAMBIABLE
		L	59 – 60 cm	40 mm	
		XL	61 – 62 cm	35 mm	
		XXL	63 – 64 cm	30 mm	INTERCAMBIABLE
		XXXL	65 – 66 cm	25 mm	











CASCO BULLITT: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	
		XS	54 – 55 cm	35 mm	INTERCAMBIABLE
		S	55 – 56 cm	30 mm	
		M	57 – 58 cm	30 mm	
		L	58 – 59 cm	25 mm	
		XL	60 – 61 cm	30 mm	
		XXL	62 – 63 cm	25 mm	











CASCO MOTO-3: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	
		XS	53 – 54 cm	30 mm	INTERCAMBIABLE
		S	55 – 56 cm	25 mm	
		M	57 – 58 cm	20 mm	
		L	59 – 60 cm	35 mm	
		XL	61 – 62 cm	30 mm	
		XXL	63 – 64 cm	25 mm	











CASCO CUSTOM 500: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA
		XS	53 – 54 cm
		S	55 – 56 cm
		M	57 – 58 cm
		L	59 – 60 cm
		XL	61 – 62 cm
		XXL	63 – 64 cm

CASCO RIOT: GUÍA DE TALLAS







CALOTA	EPS	TALLA	CIRCUNFERENCIA
		XS	53 – 54 cm
		S	55 – 56 cm
		M	57 – 58 cm
		L	59 – 60 cm
		XL	61 – 62 cm
		XXL	63 – 64 cm

CASCO SCOUT AIR: GUÍA DE TALLAS







CALOTA	EPS	TALLA	CIRCUNFERENCIA
		XS	53 – 54 cm
		S	55 – 56 cm
		M	57 – 58 cm
		L	59 – 60 cm
		XL	61 – 62 cm
		XXL	63 – 64 cm

BELL : GUÍA DE TALLAS



CASCO MOTO-9 FLEX: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	54-55 cm	45 mm	
		S	55-56 cm	40 mm	
		M	57-58 cm	40 mm	
		L	58-59 cm	35 mm	
		XL	60-61 cm	35 mm	
		XXL	62-63 cm	30 mm	







CASCO MOTO-9 MIPS: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	54-55 cm	45 mm	
		S	55-56 cm	40 mm	
		M	57-58 cm	40 mm	
		L	58-59 cm	35 mm	
		XL	60-61 cm	35 mm	
		XXL	62-63 cm	30 mm	

CASCO NIÑO MOTO-9 MIPS: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	CARRILLERAS DE RECAMBIO
		Y S/M	49-51 cm	60 mm (ya montada)	55 mm y 65 mm (intercambiable)
		Y L/XL	51-53 cm	50 mm (ya montada)	

CASCO MX-9 MIPS: GUÍA DE TALLAS

CALOTA	EPS	TALLA	CIRCUNFERENCIA	CARRILLERAS	INTERCAMBIABLE
		XS	53-54 cm	40 mm	
		S	55-56 cm	35 mm	
		M	57-58 cm	40 mm	
		L	59-60 cm	35 mm	
		XL	61-62 cm	35 mm	
		XXL	63-64 cm	30 mm	
		XXXL	65-66 cm	25 mm	